



600 X
1200 **MM**

Hollis Vitrified is a professional vitrified tile manufacturer and supplier company, located in Morbi, Gujarat, India. We have our own manufacture bases and can supply high quality Vitrified tiles. Now, our main merchandises include wide range of Vitrified tiles.


Our company goes under the guideline of "Quality, Service, Creation and Efficiency". Quantity and credit stand for the image of our company and quality assurance is our company's running principle.

Hollis Vitrified aims to create a home in your heart and we keep trying to fulfil your wish to come home

PRODUCTION
LARGEST
PRODUCTION CAPACIITY

COLLECTION
WILD RANGE
OF COLLECTION

COLOR
MULTIPLE
COLOR VARIANTS






PEARLATO
SERIES



FLORA
SERIES



MARBLE
SERIES



ROCCO
SERIES



VOX
SERIES

INDEX

Styling
is about
Harmony.



PEARLATO

SERIES

 **DOUBLE
CHARGED**
VITRIFIED TILES

600 X
1200 **MM**



600 X 1200
MM



PEARLATO BUTTERSCOTCH(DARK)

600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Stain
Resistance



Thermal Shock
Resistance

PEARLATO
SERIES



600 X 1200
MM

DOUBLE
CHARGED
VITRIFIED TILES



PEARLATO CARRARA(LIGHT)

600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance




Water
Absorption



Stain
Resistance



Thermal Shock
Resistance



PEARLATO GRAPHITE(DARK) —

600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Stain
Resistance




Thermal Shock
Resistance

PEARLATO
SERIES



600 X 1200
MM



PEARLATO CREMA(LIGHT)

600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Stain
Resistance



Thermal Shock
Resistance

PEARLATO
SERIES



600 X 1200
MM

DOUBLE
CHARGED
VITRIFIED TILES



PEARLATO SKY(DARK)

600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Stain
Resistance



Thermal Shock
Resistance

PEARLATO
SERIES



600 X 1200
MM

DOUBLE
CHARGED
VITRIFIED TILES



PEARLATO WHITE(LIGHT)

600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Stain
Resistance



Thermal Shock
Resistance

Styling
is about
Harmony.



FLORA

SERIES

 **DOUBLE
CHARGED**
VITRIFIED TILES

600 X
1200 **MM**

FLOR
SERIES

S

600 X 1200
MM

DOUBLE
CHARGED
VITRIFIED TILES



FLORA WHITE(LIGHT)

600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption




Stain
Resistance



Thermal Shock
Resistance



600 X 1200
MM



FLORA BLACK(DARK) —
600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Stain
Resistance



Thermal Shock
Resistance

FLOR
SERIES



600 X 1200
MM

DOUBLE
CHARGED
VITRIFIED TILES



FLORA PINE(LIGHT)
600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Stain
Resistance




Thermal Shock
Resistance

FLORA
SERIES



600 X 1200
MM

DOUBLE
CHARGED
VITRIFIED TILES



FLORA RED(DARK) —

600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Stain
Resistance



Thermal Shock
Resistance

FLOR
SERIES

S

600 X 1200
MM

DOUBLE
CHARGED
VITRIFIED TILES



FLORA FOREST(LIGHT)
600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Stain
Resistance




Thermal Shock
Resistance

FLORA
SERIES



600 X 1200
MM

DOUBLE
CHARGED
VITRIFIED TILES



FLORA GREEN(DARK) —

600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Stain
Resistance




Thermal Shock
Resistance

FLOR
SERIES



600 X 1200
MM

DOUBLE
CHARGED
VITRIFIED TILES



FLORA CREMA(LIGHT)
600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption




Stain
Resistance



Thermal Shock
Resistance



600 X 1200
MM



FLORA BUTTER SCOTCH(DARK) —
600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Stain
Resistance



Thermal Shock
Resistance

FLOR
SERIES



600 X 1200
MM

DOUBLE
CHARGED
VITRIFIED TILES



FLORA GREY(DARK)
600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Stain
Resistance




Thermal Shock
Resistance

FLORA
SERIES



600 X 1200
MM

DOUBLE
CHARGED
VITRIFIED TILES



FLORA BLUE(SPECIAL DARK) —
600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Stain
Resistance



Thermal Shock
Resistance

Styling
is about
Harmony.



MARBLE


SERIES

 **DOUBLE
CHARGED**
VITRIFIED TILES

600 X
1200 **MM**



600 X 1200
MM



MARBLE OCEAN BLUE(SP. DARK) —

600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Stain
Resistance



Thermal Shock
Resistance

MARBLE
SERIES

M

600 X 1200
MM

DOUBLE
CHARGED
VITRIFIED TILES

ESPANA



MARBLE BUTTER GREY(MID. DARK)

600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Stain
Resistance



Thermal Shock
Resistance

MARBLE
SERIES



600 X 1200
MM

DOUBLE
CHARGED
VITRIFIED TILES



MARBLE BUTTER CREMA(MID. DARK)

600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Stain
Resistance



Thermal Shock
Resistance

MARBLE
SERIES

M

600 X 1200
MM

DOUBLE
CHARGED
VITRIFIED TILES

ESPANA



MARBLE TIGER GREY(DARK)

600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption




Stain
Resistance



Thermal Shock
Resistance



600 X 1200
MM



MARBLE RED(DARK) ———
600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption




Stain
Resistance



Thermal Shock
Resistance



600 X 1200
MM



MARBLE BLACK(DARK) —

600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption




Stain
Resistance



Thermal Shock
Resistance



600 X 1200
MM



MARBLE FENTA(DARK) ———
600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Stain
Resistance



Thermal Shock
Resistance


MARBLE
SERIES

M

600 X 1200
MM

DOUBLE
CHARGED
VITRIFIED TILES

ESPANA



MARBLE WHITE(LIGHT)

600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Stain
Resistance



Thermal Shock
Resistance

Styling
is about
Harmony.



ROCCO

SERIES

 **DOUBLE
CHARGED**
VITRIFIED TILES


600 X
1200 **MM**

ROCCO
SERIES

R

600 X 1200
MM

DOUBLE
CHARGED
VITRIFIED TILES



ROCCO WHITE(LIGHT) ———
600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption




Stain
Resistance



Thermal Shock
Resistance



600 X 1200
MM



ROCCO BLACK(DARK) ———
600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Stain
Resistance



Thermal Shock
Resistance


ROCCO
SERIES

R

600 X 1200
MM

DOUBLE
CHARGED
VITRIFIED TILES

ESPANA



ROCCO GOLD(LIGHT) ———
600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption




Stain
Resistance



Thermal Shock
Resistance



600 X 1200
MM



ROCCO CHARCOAL(DARK) ———
600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption




Stain
Resistance



Thermal Shock
Resistance



600 X 1200
MM



ROCCO SLATE(DARK) ———
600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption




Stain
Resistance



Thermal Shock
Resistance



600 X 1200
MM



ROCCO ELEGANCE(DARK) ———
600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption




Stain
Resistance



Thermal Shock
Resistance



600 X 1200
MM



ROCCO LAVA(DARK) ———
600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption




Stain
Resistance



Thermal Shock
Resistance



600 X 1200
MM



ROCCO CANVAS(DARK) ———
600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Stain
Resistance



Thermal Shock
Resistance

Styling
is about
Harmony.



VOX


SERIES

 **DOUBLE
CHARGED**
VITRIFIED TILES

600 X
1200 **MM**



600 X 1200
MM



VOX BLACK(DARK) ———
600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption




Stain
Resistance



Thermal Shock
Resistance



600 X 1200
MM



VOX BRONZE(DARK) ———
600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption




Stain
Resistance



Thermal Shock
Resistance



600 X 1200
MM



VOX ROSA(DARK) —
600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption




Stain
Resistance



Thermal Shock
Resistance



600 X 1200
MM



VOX GALAXY BLACK (DARK) —
600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Stain
Resistance



Thermal Shock
Resistance



600 X 1200
MM



VOX COFFEE(LIGHT) ———

600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Stain
Resistance



Thermal Shock
Resistance

VOX
SERIES



600 X 1200
MM

DOUBLE
CHARGED
VITRIFIED TILES



VOX SMOK(DARK) ———
600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Stain
Resistance




Thermal Shock
Resistance

VOX
SERIES



600 X 1200
MM

DOUBLE
CHARGED
VITRIFIED TILES



VOX GOLD(LIGHT) ———
600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Stain
Resistance




Thermal Shock
Resistance

VOX
SERIES



600 X 1200
MM

DOUBLE
CHARGED
VITRIFIED TILES



VOX GRAY(LIGHT) ———
600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Stain
Resistance



Thermal Shock
Resistance

VOX
SERIES



600 X 1200
MM

DOUBLE
CHARGED
VITRIFIED TILES



VOX PINK(LIGHT) ———
600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Stain
Resistance




Thermal Shock
Resistance

VOX
SERIES



600 X 1200
MM

DOUBLE
CHARGED
VITRIFIED TILES



VOX WHITE(LIGHT) ———
600 X 1200 MM



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Stain
Resistance



Thermal Shock
Resistance

Display Center:

402-403, Empire Square,
Opp. Sun Ora Ceramic,
8-A National Highway,
Morbi (Gujarat) India.

 +91 97244 85221
+91 95863 72305



Corporate Office:

1406, 14th Floor, A-2301
Safal Privilon, Ambli BRTS Road,
Iskcon Cross Road,
Ahmedabad (Gujarat) India.

 +91 99798 79896



espanaimpex1524@gmail.com