





^{GLOSSY} Elevation

300x450mm
Digital Wall Tiles

Vol-1

Nature's Eternal Art




A Source Of Inspiration

Walls become a canvas prepared to be decorated, where the only limit is our imagination.

A new concept of wall tile presented in a small format where the combination of colours and the use of different volumes and effects are the main theme. Mixing, combining styles, boosting the creativity in every space. Offering an endlessly number of possibilities in shapes, motives, designs and effects, with relief and volumes, capable of attracting everyone's attention.

GLOSSY Elevation



Glamour Of
Details

STYLE OF FABULOUS FINESSE

The shades that comprise the Elevation series, thanks to their sobriety and naturalness, perfectly integrate with the contemporary style of home furnishing. The minute details that characterized the Elevation collection are seen best in the three dimensional structures decor; in the Wall 3D, for example, built from small bush-hammered, honed and sand-blasted pieces, or in the Rub decor, which with its worked surface, tells the story of the material quality of sedimentary stone. The Wall Caddle interprets an assemblage of tradition, which combines perfectly with the rest of the collection.

TECHNICAL DETAILS



SCRATCH
RESISTANCE



CHEMICAL
RESISTANCE



STAIN
RESISTANCE



WATER
RESISTANCE




HYGINIC
SURFACE



ECO
FRIENDLY






GLOSSY
Elevation



33889



33890




33891



33892




33930



33932







GLOSSY
Elevation



33926




33927






GLOSSY
Elevation



33919




33920



33921




33931



11927



11928




11929




11930





GLOSSY Elevation



33801



33802



33803



33804




33805



33806






GLOSSY
Elevation




33807



33808



33809




33810



33811



33812







GLOSSY Elevation



33813



33922



33923




33924



33925





GLOSSY
Elevation



33814



33815



33816




33817




33818




33819








GLOSSY
Elevation



33820



33823



33988



33989



33824



33825




33990



33826





GLOSSY
Elevation



33830



33831







GLOSSY
Elevation



33835



33836




33837




33838



33839







GLOSSY Elevation



33840



33841




33842



33843






GLOSSY
Elevation




33845




33847








GLOSSY Elevation



33850



33851



33852



33853



33854



33855





GLOSSY
Elevation



33856




33857



33858



33859








GLOSSY
Elevation



33860




33861



33862






GLOSSY
Elevation



33869




33870



33871






GLOSSY
Elevation




33872



33874



33876








GLOSSY Elevation



33878



33880




33881



33882





GLOSSY
Elevation



33883



33884



33885



33886



33887



33888





TECHNICAL

DETAILS

	PROPERTIES	INTERNATIONAL STD.	VALUE	TEST METHOD
1.	Deviation in Length	± 0.5%	± 0.3%	EN 98
2.	Deviation in Thickness	± 5.0%	± 4.0%	EN 98
3.	Rectangularity	± 0.5%	± 0.2%	EN 98
4.	Surface Flatness	± 0.5%	± 0.2%	EN 98
5.	Water Absorption	10%	12-14%	EN 98
6.	Moh's Hardness	Min. 3	Min. 3	EN 101
8.	Modules of Rupture	153 Kgs./cm ²	183 Kgs./cm ²	EN 100
9.	Chemical Resistance	Resistance to all expert hydrofluoric acid & it's compounds	Resistance to all expert hydrofluoric acid & it's compounds	EN 102
10.	Thermal Shock Resistance	Required	10 Cycles	EN 104
11.	Crazing Resistance	Required	in Conformity with the norms	EN 105

	DETAILS PRINTING SPECIFICATION	SCREEN PRINTING SPECIFICATION	DIGITAL PRINTING SPECIFICATION
1.	 Naturally Varying Design	No	Yes
2.	 Printing Accuracy	Low	High
3.	 Printing Consistency	Low	High
4.	 Printing Resolution (DPI)	60-80	350-1000
5.	 Print on uneven surface	Not Possible	Easily Possible
6.	 Customization	No	Easily Possible
8.	 Edge to Edge Printing	No	Edge to Edge Printing
10.	 Design Range	Limited	Endless
11.	 Number of Printing Colours	2-4	No Limit

PACKING DETAILS

SIZE	THICKNESS (Approx.)	Pcs / Box	Area / Box	Wt. / Box (Approx.)
300x450mm	7.7mm	6 pcs	0.81 sq. mtr.	10.500kg

Note: Colour Shown are as accurate as the limitations of the printing process will allow. prospective customers are advised to inspect a sample of the tile before ordering. Every e?ort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.

