


300x450mm

Digital Wall Tiles / Glossy

**AN ELEGANT &
EYE-CATCHING**

VOL.5





BECAUSE THE DIFFERENCE IS PATENTLY OBVIOUS

Great attention, sensitivity, and intelligence are necessary to remain faithful to the vocation of “making” ceramic tiles in the best possible way. The awareness of historical and artistic heritage, from which to constantly draw inspiration, an open and the active vision of the evolution of the contemporary world, associated with creativity and originality, are the driving force behind the development of superior quality ceramic surfaces, that truly represent high

quality Italian design culture. A completely new production system, based on in-house research has led to the development of an advanced and three-dimensional Wall Tiles, perfectly harmonious in terms of its patterns and structure, to recreate natural-looking and highly striking surfaces, maintaining all the characteristics of Wall resistance to wear and the elements, easy to-clean, and also suitable for spaces exposed to heavy external stress.

Respect for the environment and natural resources, combined with attention to energy consumption, has always been a key goal which the company pursues constantly and with care. The aim is to offer customers a product that not only has high quality technical and aesthetic features but that is also manufactured according to sustainability criteria.

GRACE FOR MESMERIC SPACES


To excel in the world of high quality ceramics means knowing how to continuously create highly technological products and how to enhance them through the utmost attention to aesthetics and detail. Oasis Tiles has always adhered to the highest standards of excellence, Detail realiser combining its history of skilful artisan craftsmanship with cutting edge technology.

This approach is intrinsically linked to a fundamental commitment to always act and operate responsibly. With over 15 years of experience, Oasis Tiles is an international company with a strong Indian soul and an extensive sales network with 5 Manufacturing Units in over 40 countries all over the world.

Beauty, Innovation, Sustainability. Oasis Tiles is a world leader in high quality ceramic surfaces for floor and wall coverings. Its production processes respect the environment and its products are designed for a new way of conceiving architecture and living.




A DETAILS CRAFTING THE MAKE YOUR SPACE INTO ELEGANT ONE






The ceramic era inspired the idea of the glossy collection, which combines visual complexity the quality of the "aged" ornamental and the linear severity of the geometric de-cows. Soft beige and gray tones, a panel with a multi-layered floral pattern design and water color stripes of decorative elements everything is created to create a calm yet brightly individual interior with interesting ac-cent parts.

APPLICATION AREAS



TECHNICAL DETAILS








11511




11512-HL-1



11512

Information



30x45CM
Digital
Wall tiles



SCRATCH
RESISTANCE



CHEMICAL
RESISTANCE



STAIN
RESISTANCE



WATER
RESISTANCE




HYGIENIC
SURFACE




ECO
FRIENDLY







11517



11513



11518-HL-1



11514-HL-1




11518



11514




11514-HL-2



11535



11536-HL-1




11537



11536




11536-HL-2




11538-HL-1




11536-HL-3



11538



11538-HL-2



11539



11540-HL-1




11540



11540-HL-2


Information



30x45CM
Digital
Wall tiles







11541



11543



11542-HL-1



11544-HL-1




11542



11544



11544-HL-2



11545




11546-HL-1



11546-HL-3



11546-HL-2



11547



11548-HL-1



11548



11548-HL-2



11549



11550-HL-1



11550



11550-HL-2

Information



30x45CM
Digital
Wall tiles



SCRATCH
RESISTANCE



CHEMICAL
RESISTANCE



STAIN
RESISTANCE



WATER
RESISTANCE



HYGIENIC
SURFACE




ECO
FRIENDLY








11559



11561



11564



11560-HL-1



11562-HL-1



11564-HL-1




11560



11562



11564



11565




11566-HL-1



11566




11566-HL-2



11567



11568-HL-1



11568



11569



11570-HL-1



11570

TECHNICAL

DETAILS

	PROPERTIES	INTERNATIONAL STD.	VALUE	TEST METHOD
1.	Deviation in Length	± 0.5%	± 0.3%	EN 98
2.	Deviation in Thickness	± 5.0%	± 4.0%	EN 98
3.	Rectangularity	± 0.5%	± 0.2%	EN 98
4.	Surface Flatness	± 0.5%	± 0.2%	EN 98
5.	Water Absorption	10%	12-14%	EN 98
6.	Moh's Hardness	Min. 3	Min. 3	EN 101
8.	Modules of Rupture	153 Kgs./cm ²	183 Kgs./cm ²	EN 100
9.	Chemical Resistance	Resistance to all expert hydrofluoric acid & it's compounds	Resistance to all expert hydrofluoric acid & it's compounds	EN 102
10.	Thermal Shock Resistance	Required	10 Cycles	EN 104
11.	Crazing Resistance	Required	in Conformity with the norms	EN 105

	DETAILS PRINTING SPECIFICATION	SCREEN PRINTING SPECIFICATION	DIGITAL PRINTING SPECIFICATION
1.	 Naturally Varying Design	No	Yes
2.	 Printing Accuracy	Low	High
3.	 Printing Consistency	Low	High
4.	 Printing Resolution (DPI)	60-80	350-1000
5.	 Print on uneven surface	Not Possible	Easily Possible
6.	 Customization	No	Easily Possible
8.	 Edge to Edge Printing	No	Edge to Edge Printing
10.	 Design Range	Limited	Endless
11.	 Number of Printing Colours	2-4	No Limit

PACKING DETAILS

SIZE	THICKNESS (Approx.)	Pcs / Box	Area / Box	Wt. / Box (Approx.)
300x450mm	7.7mm	6 pcs	0.81 sq. mtr.	10.500kg
300x300mm	7.5mm	8 pcs	0.72 sq. mtr.	9.300kg

Note: Colour Shown are as accurate as the limitations of the printing process will allow. prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.

