

300x450mm


Digital Wall Tiles / Glossy

**AN ELEGANT &
EYE-CATCHING**

VOL.6




A DETAILS CRAFTING THE MAKE YOUR SPACE INTO ELEGANT ONE




The ceramic era inspired the idea of the glossy collection, which combines visual complexity the quality of the "aged" ornamental and the linear severity of the geometric de-cows. Soft beige and gray tones, a panel with a multi-layered floral pattern design and water color stripes of decorative elements everything is created to create a calm yet brightly individual interior with interesting ac-cent parts.

APPLICATION AREAS





TECHNICAL DETAILS



**GLOSSY
CONCEPT**

Finish - GLOSSY
WATER PROOF



11577 L



11578-HL-1



11578 D

DIGITAL 450 X
WALL TILE 300MM



Finish - GLOSSY
WATER PROOF



11579 L



11580-HL-1




11580 D

DIGITAL 450 X
WALL TILE 300MM



Finish - GLOSSY
WATER PROOF



11581 L



11582-HL-1



11582 D

DIGITAL 450 X
WALL TILE 300MM




Finish - GLOSSY
WATER PROOF



11583 L



11584-HL-1



11584 D

DIGITAL 450 X
WALL TILE 300MM



Finish - GLOSSY
WATER PROOF




11585 L



11586-HL-1



11586-HL-2



11586 D


DIGITAL 450 X
WALL TILES 300MM



Finish - GLOSSY
WATER PROOF



11587 L



11588-HL-1



11588 D


DIGITAL 450 X
WALL TILE 300MM



Finish - GLOSSY
WATER PROOF



11589 L



11590-HL-1



11590-HL-2



11590 D

DIGITAL 450 X
WALL TILES 300MM



Finish - GLOSSY
WATER PROOF



11591 L



11592-HL-1



11592-HL-2



11592 D

DIGITAL 450 X
WALL TILES 300MM



Finish - GLOSSY
WATER PROOF



11593 L



11594-HL-1



11594-HL-2




11594 D


DIGITAL 450 X
WALL TILES 300MM



Finish - GLOSSY
WATER PROOF



11595 L



11596-HL-1



11596-HL-2



11596 D

DIGITAL 450 X
WALL TILES 300MM



Finish - GLOSSY
WATER PROOF



11597 L



11598-HL-1



11598 D

DIGITAL 450 X
WALL TILE 300MM



Finish - GLOSSY
WATER PROOF



11599 L



11600-HL-1



11600 D

DIGITAL 450 X
WALL TILE 300MM



Finish - GLOSSY
WATER PROOF



11601 L



11602-HL-1



11602-HL-2



11602 D

DIGITAL 450 X
WALL TILES 300MM




GLOSSY

FLOWER

CONCEPT


Finish - GLOSSY
WATER PROOF



11603 L



11604-HL-1




11604 D

DIGITAL 450 X
WALL TILE 300MM



Finish - GLOSSY
WATER PROOF




11605 L



11606-HL-1



11606-HL-2



11606 D

DIGITAL 450 X
WALL TILES 300MM



Finish - GLOSSY
WATER PROOF



11607 L



11608-HL-1



11608-HL-2



11608 D

DIGITAL 450 X
WALL TILES 300MM



Finish - GLOSSY
WATER PROOF



11631 L



11632-HL-1



11632-HL-2



11632 D

DIGITAL 450 X
WALL TILES 300MM



Finish - GLOSSY
WATER PROOF




11609 L



11610-HL-1



11610-HL-2



11610 D

DIGITAL 450 X
WALL TILES 300MM



Finish - GLOSSY
WATER PROOF




11611 L



11612-HL-1



11612-HL-2



11612 D

DIGITAL 450 X
WALL TILES 300MM



Finish - GLOSSY
WATER PROOF




11613 L



11614-HL-1



11614-HL-2



11614 D

DIGITAL 450 X
WALL TILES 300MM



Finish - GLOSSY
WATER PROOF



11615 L



11616-HL-1



11616-HL-2




11616 D

DIGITAL 450 X
WALL TILES 300MM



Finish - GLOSSY
WATER PROOF




11617 L



11618-HL-1



11618-HL-2




11618 D

DIGITAL 450 X
WALL TILES 300MM



Finish - GLOSSY
WATER PROOF




11619 L



11620-HL-1



11620-HL-2



11620 D

DIGITAL 450 X
WALL TILES 300MM



Finish - GLOSSY
WATER PROOF




11621 L



11622-HL-1



11622-HL-2



11622 D

DIGITAL 450 X
WALL TILES 300MM



Finish - GLOSSY
WATER PROOF




11623 L



11624-HL-1



11624-HL-2




11624 D

DIGITAL 450 X
WALL TILES 300MM



Finish - GLOSSY
WATER PROOF



11625 L



11626-HL-1



11626-HL-2




11626 D


DIGITAL 450 X
WALL TILES 300MM



Finish - GLOSSY
WATER PROOF




11627 L



11628-HL-1



11628-HL-2



11628 D

DIGITAL 450 X
WALL TILES 300MM



Finish - GLOSSY
WATER PROOF




11629 L



11630-HL-1



11630-HL-2



11630 D

DIGITAL 450 X
WALL TILES 300MM



**GLOSSY
KITCHEN
CONCEPT**

Finish - GLOSSY
WATER PROOF



11635 L



11636-HL-1



11636-HL-2




11636 D

DIGITAL 450 X
WALL TILES 300MM



Finish - GLOSSY
WATER PROOF




11637 L



11638-HL-1



11638-HL-2




11638 D


DIGITAL 450 X
WALL TILES 300MM




Finish - GLOSSY
WATER PROOF




11637 L



11638-HL-3



11638-HL-4



11638 D

DIGITAL 450 X
WALL TILES 300MM



Finish - GLOSSY
WATER PROOF



11639 L



11640-HL-1



11640-HL-2




11640 D

DIGITAL 450 X
WALL TILES 300MM



Finish - GLOSSY
WATER PROOF



11642 HL-1



11641-L




11642 HL-2

DIGITAL 450 X
WALL TILE 300MM



Finish - GLOSSY
WATER PROOF




11633 L



11634-HL-1



11634-HL-2




11634 D

DIGITAL 450 X
WALL TILES 300MM



Finish - GLOSSY
WATER PROOF



11652-L

DIGITAL 450 X
WALL TILE 300MM



GLOSSY

FISH

CONCEPT

Finish - GLOSSY
WATER PROOF




11643 L



11644-HL-1



11644-HL-2



11644 D

DIGITAL 450 X
WALL TILES 300MM



Finish - GLOSSY
WATER PROOF




11643 L



11646-HL-1



11646-HL-2




11646 D

DIGITAL 450 X
WALL TILES 300MM



Finish - GLOSSY
WATER PROOF




11643 L



11648-HL-1



11648-HL-2



11648 D

DIGITAL 450 X
WALL TILES 300MM



Finish - GLOSSY
WATER PROOF




11649 L



11650-HL-1



11650-HL-2



11648 D

DIGITAL 450 X
WALL TILES 300MM



TECHNICAL
DETAILS

	PROPERTIES	INTERNATIONAL STD.	VALUE	TEST METHOD
1.	Deviation in Length	± 0.5%	± 0.3%	EN 98
2.	Deviation in Thickness	± 5.0%	± 4.0%	EN 98
3.	Rectangularity	± 0.5%	± 0.2%	EN 98
4.	Surface Flatness	± 0.5%	± 0.2%	EN 98
5.	Water Absorption	10%	12-14%	EN 98
6.	Moh's Hardness	Min. 3	Min. 3	EN 101
8.	Modules of Rupture	153 Kgs./cm ²	183 Kgs./cm ²	EN 100
9.	Chemical Resistance	Resistance to all expert hydrofluoric acid & it's compounds	Resistance to all expert hydrofluoric acid & it's compounds	EN 102
10.	Thermal Shock Resistance	Required	10 Cycles	EN 104
11.	Crazing Resistance	Required	in Conformity with the norms	EN 105

	DETAILS PRINTING SPECIFICATION	SCREEN PRINTING SPECIFICATION	DIGITAL PRINTING SPECIFICATION
1.	 Naturally Varying Design	No	Yes
2.	 Printing Accuracy	Low	High
3.	 Printing Consistency	Low	High
4.	 Printing Resolution (DPI)	60-80	350-1000
5.	 Print on uneven surface	Not Possible	Easily Possible
6.	 Customization	No	Easily Possible
8.	 Edge to Edge Printing	No	Edge to Edge Printing
10.	 Design Range	Limited	Endless
11.	 Number of Printing Colours	2-4	No Limit

PACKING DETAILS

SIZE	THICKNESS (Approx.)	Pcs / Box	Area / Box	Wt. / Box (Approx.)
300x450mm	8.3mm	6 pcs	0.81 sq. mtr.	10.5kg
300x300mm	8.5mm	8 pcs	0.72 sq. mtr.	9.3kg

Note: Colour Shown are as accurate as the limitations of the printing process will allow. prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.

