

500 M.M
X
500 M.M

HEAVY DUTY OUTDOOR TILES



500x500 M.M




5001-R1



5001-R2



5001-R3



500x500 M.M



5002-R1



5002-R2




5002-R3



500x500 M.M



5003



500x500 M.M




5004-R1



5004-R2



5004-R3



500x500 M.M




5005-R1



5005-R2



5005-R3



500x500 M.M




5006-R1



5006-R2



5006-R3



500x500 M.M



5007-R1




5007-R2




5007-R3




500x500 M.M




5008-R1




5008-R2



5008-R3



500x500 M.M




5009-R1



5009-R2



5009-R3



500x500 M.M




5010-R1




5010-R2




5010-R3




500x500 M.M




5011-R1



5011-R2



5011-R3



500x500 M.M




5012-R1




5012-R2




5012-R3



500x500 M.M




5013-R1




5013-R2




5013-R3




500x500 M.M




5014-R1




5014-R2



5014-R3



500x500 M.M




5015-R1



5015-R2



5015-R3



500x500 M.M




5016-R1



5016-R2



5016-R3



500x500 M.M



5017-R1



5017-R2



5017-R3



500x500 M.M



5018-R1



5018-R2



5018-R3



500x500 M.M




5019-R1



5019-R2



5019-R3



500x500 M.M




5020-R1



5020-R2



5020-R3



500x500 M.M



5021-R1



5021-R2



5021-R3



500x500 M.M




5022-R1

5022-R2



5022-R3



500x500 M.M




5023-R1



5023-R2



5023-R3



500x500 M.M



5024-R1




5024-R2




5024-R3




500x500 M.M




5025




500x500 M.M




5026



500x500 M.M




5027




500x500 M.M




5028



500x500 M.M



5029



500x500 M.M




5030-R1



5030-R2



5030-R3



500x500 M.M




5031-R1



5031-R2




5031-R3



500x500 M.M



5032-R1




5032-R2




5032-R3




500x500 M.M



5033-R1



5033-R2



5033-R3




500x500 M.M



5034-R1



5034-R2



5034-R3



500x500 M.M




5035-R1




5035-R2




5035-R3



500x500 M.M




5036-R1



5036-R2



5036-R3



500x500 M.M




5037-R1




5037-R2




5037-R3




500x500 M.M




5038-R1



5038-R2



5038-R3



500x500 M.M




5039-R1

5039-R2



5039-R3



500x500 M.M




5040-R1



5040-R2



5040-R3



500x500 M.M




5041-R1



5041-R2



5041-R3



500x500 M.M




5042-R1



5042-R2



5042-R3



500x500 M.M




5043-R1



5043-R2



5043-R3



500x500 M.M




5044-R1



5044-R2



5044-R3



500x500 M.M




5045-R1



5045-R2



5045-R3



500x500 M.M




5046-R1



5046-R2



5046-R3



500x500 M.M




5047-R1



5047-R2




5047-R3




500x500 M.M



5048-R1



5048-R2



5048-R3



500x500 M.M




5049-R1

5049-R2



5049-R3



500x500 M.M




5050-R1



5050-R2



5050-R3



500x500 M.M




5051-R1




5051-R2



5051-R3



500x500 M.M



5052-R1



5052-R2



5052-R3



500x500 M.M




5053-R1




5053-R2




5053-R3




500x500 M.M




5054




500x500 M.M




5055-R1



5055-R2



5055-R3



500x500 M.M



5056-R1




5056-R2



5056-R3




500x500 M.M



5057



500x500 M.M




5058



500x500 M.M




5059




500x500 M.M




5060



500x500 M.M



5061



TECHNICAL SPECIFICATION

CHARACTERISTIC		International Std. ISO13006/EN 176 Group Bla	Value	Method of Testing
1.	Deviation in Length	±0.6%	±0.1%	EN 98
2.	Deviation in Thickness	±5%	±4%	EN 98
3.	Straightness of Sides	±0.5%	±0.1%	EN 98
4.	Rectangularity	±0.6%	±0.2%	EN 98
5.	Surface Flatness	±0.5%	±0.3%	EN 98
6.	Water Absorption *	<0.5%	<0.3%	EN 99
7.	Mohs Hardness *	> 6	> 7	EN 101
8.	Flexural Straightness *	> 27 N/mm ²	> 47 N/mm ²	EN 100
9.	Abrasion Resistance	< 204 mm ³	< 98 mm ³	EN 102
10.	Skid Resistance (Friction Coefficient)	> 0.4	> 0.6	ASTM C-1028
11.	Breaking Strength *	> 1113 N	> 2830 N	ASTM C-648
12.	Density (g/cc)	> 2	> 2.4	DIN 51082
13.	Frost Resistance	Frost proof	Frost proof	EN 202
14.	Chemical Resistance	No damage	No damage	EN 106
15.	Thermal Shock Resistance	No damage	No damage	EN 104
16.	Colour Resistance	No damage	No damage	DIN 51094
17.	Thermal Expansion	< 9 x 10-6	< 6 x 10-6	EN 103
18.	Stain Resistance	Resistant	Resistant	ISO 10545-14
19.	Moisture Expansion	Nil	Nil	ISO 10545-10
20.	Glossiness	—	Min. 65% - 70% reflection	Glossmeter

Sr.no.	Size	Thickness (Approx)	Tiles Per Box (Approx)	Coverage Area (sq.mtr) (Approx)	Weight (Approx)
1.	Digital 500x500mm	12 mm	4 PCS.	01	24.5 Kgs
1.	Digital 500x500mm	12 mm	3 PCS.	0.75	18.5 Kgs

