


500 M.M
X
500 M.M


HEAVY DUTY OUTDOOR TILES




500x500 M.M




7001



500x500 M.M




7002




500x500 M.M



7003



500x500 M.M




7004




500x500 M.M




7010



500x500 M.M




7011



500x500 M.M




7012



500x500 M.M




7013




500x500 M.M




7014



500x500 M.M




7016



500x500 M.M



7017



500x500 M.M




7018



500x500 M.M




7019




500x500 M.M




7020



500x500 M.M



7021



500x500 M.M



7022



500x500 M.M




7023



500x500 M.M




7024



500x500 M.M



7025



500x500 M.M




14101-R1



14101-R2



14101-R3



500x500 M.M




14102-R1




14102-R2




14102-R3



500x500 M.M




14103-R1



14103-R2



14103-R3



500x500 M.M




14104-R1


14104-R2



14104-R3



500x500 M.M



14105-R1




14105-R2



14105-R3




500x500 M.M




14106-R1




14106-R2




14106-R3




500x500 M.M




14107-R1



14107-R2



14107-R3



500x500 M.M



14108-R1



14108-R2



14108-R3




500x500 M.M




14109-R1




14109-R2



14109-R3



500x500 M.M




14110-R1



14110-R2



14110-R3



500x500 M.M




14111-R1




14111-R2




14111-R3




500x500 M.M




14112-R1




14112-R2




14112-R3




500x500 M.M




14113-R1




14113-R2



14113-R3



500x500 M.M



14114-R1



14114-R2



14114-R3




500x500 M.M




14115-R1



14115-R2



14115-R3



500x500 M.M



14116-R1



14116-R2




14116-R3



500x500 M.M




14117-R1




14117-R2



14117-R3




500x500 M.M




14118




500x500 M.M



14119




500x500 M.M




14120



500x500 M.M



14121




500x500 M.M




14122-R1




14122-R2



14122-R3



500x500 M.M




14123-R1



14123-R2



14123-R3




500x500 M.M




14124-R1




14124-R2



14124-R3




500x500 M.M




14125-R1



14125-R2



14125-R3



500x500 M.M




14126-R1




14126-R2




14126-R3




500x500 M.M




14127-R1



14127-R2



14127-R3



500x500 M.M



14128-R1



14128-R2



14128-R3



500x500 M.M




14129-R1



14129-R2



14129-R3



500x500 M.M



14130-R1



14130-R2



14130-R3



500x500 M.M




14131-R1



14131-R2



14131-R3



500x500 M.M




14132-R1



14132-R2



14132-R3



500x500 M.M



14133-R1



14133-R2



14133-R3



500x500 M.M




14134-R1



14134-R2



14134-R3



500x500 M.M




14135-R1



14135-R2




14135-R3




500x500 M.M



14136-R1



14136-R2



14136-R3




500x500 M.M



14137-R1



14137-R2




14137-R3



500x500 M.M




14138-R1




14138-R2




14138-R3




500x500 M.M




14139-R1



14139-R2



14139-R3



500x500 M.M



14140-R1




14140-R2




14140-R3




500x500 M.M




14141




500x500 M.M




14142




500x500 M.M




14143



500x500 M.M



14144




500x500 M.M



14145-R1



14145-R2



14145-R3



500x500 M.M



14146-R1



14146-R2



14146-R3



TECHNICAL SPECIFICATION

CHARACTERISTIC		International Std. ISO13006/EN 176 Group Bla	Value	Method of Testing
1.	Deviation in Length	±0.6%	±0.1%	EN 98
2.	Deviation in Thickness	±5%	±4%	EN 98
3.	Straightness of Sides	±0.5%	±0.1%	EN 98
4.	Rectangularity	±0.6%	±0.2%	EN 98
5.	Surface Flatness	±0.5%	±0.3%	EN 98
6.	Water Absorption *	<0.5%	<0.3%	EN 99
7.	Mohs Hardness *	> 6	> 7	EN 101
8.	Flexural Straightness *	> 27 N/mm ²	> 47 N/mm ²	EN 100
9.	Abrasion Resistance	< 204 mm ³	< 98 mm ³	EN 102
10.	Skid Resistance (Friction Coefficient)	> 0.4	> 0.6	ASTM C-1028
11.	Breaking Strength *	> 1113 N	> 2830 N	ASTM C-648
12.	Density (g/cc)	> 2	> 2.4	DIN 51082
13.	Frost Resistance	Frost proof	Frost proof	EN 202
14.	Chemical Resistance	No damage	No damage	EN 106
15.	Thermal Shock Resistance	No damage	No damage	EN 104
16.	Colour Resistance	No damage	No damage	DIN 51094
17.	Thermal Expansion	< 9 x 10-6	< 6 x 10-6	EN 103
18.	Stain Resistance	Resistant	Resistant	ISO 10545-14
19.	Moisture Expansion	Nil	Nil	ISO 10545-10
20.	Glossiness	—	Min. 65% - 70% reflection	Glossmeter

Sr.no.	Size	Thickness (Approx)	Tiles Per Box (Approx)	Coverage Area (sq.mtr) (Approx)	Weight (Approx)
1.	Digital 500x500mm	12 mm	4 PCS.	01	24.5 Kgs
1.	Digital 500x500mm	12 mm	3 PCS.	0.75	18.5 Kgs

